L Number	Hits	Search Text	DB	Time stamp
-	2	"2002184487"	USPAT;	2004/07/15 15:37
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	"20020184487"	USPAT;	2004/07/15 15:52
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
	398	713/153.ccls.	IBM_TDB USPAT;	2004/07/15 15:52
-	398	/13/153.CC18.	US-PGPUB;	2004/07/13 13.32
			EPO; JPO;	
			DERWENT;	
		•	IBM TDB	
_	56	713/153.ccls. and (securit\$ near	USPAT;	2004/07/15 16:37
		associat\$)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	35		USPAT;	2004/07/15 16:24
		associat\$) same (encrypt\$))	US-PGPUB;	
			EPO; JPO;	
	:		DERWENT;	
		(713/153.ccls. and (securit\$ near	<pre>IBM_TDB USPAT;</pre>	2004/07/15 16:24
-	21		US-PGPUB;	2004/07/13 16:24
		<pre>associat\$) ) not (713/153.ccls. and ((securit\$ near associat\$) same</pre>	EPO; JPO;	
		((security hear associaty) same (encrypt\$)))	DERWENT;	
		(encrypt4)))	IBM TDB	
_	377	713/200,201.ccls. and (securit\$ near	USPAT;	2004/07/15 16:38
		associat\$)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	125		USPAT;	2004/07/15 16:38
	ĺ	associat\$) same encrypt\$)	US-PGPUB;	,
			EPO; JPO;	
			DERWENT;	1
	110	/313/200 201 pale and //gagyrité noor	IBM_TDB USPAT;	2004/07/15 16:55
-	110	(713/200,201.ccls. and ((securit\$ near associat\$) same encrypt\$)) not	US-PGPUB;	2004/07/13 10:33
	à.	(713/153.ccls. and (securit\$ near	EPO; JPO;	
		associat\$) )	DERWENT;	
		4000014647 7	IBM TDB	
-	10	encrypt\$ same decrypt\$ same ingress\$ same	USPAT;	2004/07/15 17:12
		egress\$	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/07/15 17 12
-	60	(encrypt\$ or decrypt\$) same (ingress\$ or	USPAT;	2004/07/15 17:13
		egress\$)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	50	((encrypt\$ or decrypt\$) same (ingress\$ or	USPAT;	2004/07/15 17:41
		egress\$)) not (encrypt\$ same decrypt\$ same	US-PGPUB;	=====================================
		ingress\$ same egress\$)	EPO; JPO;	
	1		DERWENT;	
			IBM TDB	
-	0	60105189.ap.	USPĀT;	2004/07/15 17:41
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/05/55
-	0	60105189.app.	USPAT;	2004/07/15 17:41
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
L	L	<u> </u>	IBM_TDB	<u> </u>

			·	
-	0	09816883.app.	USPAT;	2004/07/15 17:41
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	1
	0	09816883.ap.	USPAT;	2004/07/15 17:42
-		09010003.ap.	US-PGPUB;	2004/07/13 17:42
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	431	(security near associat\$).ab.	USPĀT;	2004/07/15 17:43
		,,	US-PGPUB;	i
			EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
-	90	1 ' ' '	USPAT;	2004/07/15 17:43
		(encrypt\$ and decrypt\$)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/07/15 10 01
-	85		USPAT;	2004/07/15 19:21
		(encrypt\$ and decrypt\$)) not ((encrypt\$ or	US-PGPUB;	1
		decrypt\$) same (ingress\$ or egress\$))	EPO; JPO;	
			DERWENT;	
		6708218.URPN.	IBM_TDB USPAT	2004/07/15 18:14
_	0 1	6708218.0RPN. "6539483".PN.	USPAT	2004/07/15 18:14
	3	•	USPAT	2004/07/15 18:33
		"6304973".PN.	USPAT	2004/07/15 18:34
_	1	"6269404".PN.	USPAT	2004/07/15 18:35
_	1673		USPAT;	2004/07/15 19:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	37	709/238.ccls. and (security near	USPAT;	2004/07/15 19:21
		associat\$)	US-PGPUB;	
			EPO; JPO;	]
			DERWENT;	1
			IBM_TDB	0004/07/15 10 01
-	25		USPAT;	2004/07/15 19:21
		associat\$)) and encrypt\$	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	2	ep-965903-\$.did.	USPAT;	2004/07/16 13:32
	2	CP 303303 4.414.	US-PGPUB;	2001, 01, 10 10.02
			EPO; JPO;	1
			DERWENT;	
			IBM TDB	
-	0	ep965903	USPAT;	2004/07/16 13:31
		-	US-PGPUB;	
		,	EPO; JPO;	
1			DERWENT;	
1			IBM_TDB	
1 -	0	ep0965903	USPAT;	2004/07/16 13:31
1			US-PGPUB;	
1			EPO; JPO;	
1			DERWENT;	
1		005003	IBM_TDB	2004/07/16 12:21
-	4	965903.pn.	USPAT;	2004/07/16 13:31
1			US-PGPUB;	
1			EPO; JPO; DERWENT;	
1			IBM TDB	[
_	1	0965903.pn.	USPAT;	2004/07/16 13:32
	1	0303303.pii.	US-PGPUB;	2304/07/10 13:32
			EPO; JPO;	
	1		DERWENT;	
			IBM TDB	
	_1	<del></del>		1

-	2	"20020078049"	USPAT;	2004/07/16 13:38
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		5040305	IBM_TDB	2004/07/16 14:00
-	2	5949785.pn.	USPAT;	2004/07/16 14:02
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/07/16 16 00
-	2	"20020078049"	USPAT;	2004/07/16 16:38
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		6420610	IBM_TDB	2004/07/16 17:21
-	2	6438612.pn.	USPAT;	2004/07/16 17:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	14450	lingraga and agraca	IBM_TDB	2004/07/16 17:21
-	14452	ingress and egress	USPAT; US-PGPUB;	2004/0//16 1/:21
			EPO; JPO;	
			DERWENT;	ļ
			IBM TDB	
_	23350	encrypt\$ and decrypt\$	USPAT;	2004/07/16 17:22
_	23350	enerabed and decrabed	US-PGPUB;	2004/01/10 11.22
			EPO; JPO;	
		<del>-</del>	DERWENT;	
			IBM TDB	
_	101	(encrypt\$ and decrypt\$) and (ingress and	USPAT;	2004/07/16 17:47
	101	egress)	US-PGPUB;	2004/0//10 1/:1/
		091000/	EPO; JPO;	
			DERWENT;	
			IBM TDB	ĺ
_	2658	security near associat\$	USPAT;	2004/07/16 17:48
		booking moun appearable	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	354	(security near associat\$) and (key near	USPAT;	2004/07/16 17:48
		exchang\$)	US-PGPUB;	
		<b>3</b>	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	278	((security near associat\$) and (key near	USPĀT;	2004/07/16 17:48
		exchang\$)) and (encrypt\$ and decrypt\$)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	225	(((security near associat\$) and (key near	USPĀT;	2004/07/16 18:44
		<pre>exchang\$)) and (encrypt\$ and decrypt\$))</pre>	US-PGPUB;	
		and (gate\$ or router\$ or switch)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	6185680.pn.	USPAT;	2004/07/16 18:53
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1	H2001047474H	IBM_TDB	2004/07/16 19:50
_	3	"2001047474"	USPAT;	2004/07/16 18:50
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
_	3	"2001047474"	IBM_TDB USPAT;	2004/07/16 18:50
1	3	2001047474	US-PGPUB;	2004/0//16 16:50
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	<u> </u>		TDIJ I DR	

2 2004/07/16 18:50					
PEO, JPC; DERWENT; IEM TOB USPAT; USP-GRUB; PEO, JPC; DERWENT; PEO, JP	-	2	"20010047474"	USPAT;	2004/07/16 18:50
-					
18					
- 2 5949785.pn.					
Separation   Sep					
- 2 6591306.pn.	-	2	5949785.pn.		2004/07/16 18:54
- 2 6591306.pn.   DERWENT; IBM TOB USPAT; US-FOFUB; EPO; JPO; DERWENT; IBM TOB USPAT; US					1
2				EPO; JPO;	
2   5591306.pn.   USFĀT; US-FGPUB; EPG; JPG; DERWENT; IBM_TDB USFĀT; US-PGPUB; EPG; JPG; DERWENT; IBM_TDB USFĀT; USFĀT; US-PGPUB; EPG; JPG; DERWENT; IBM_TDB USFĀT; USFĀT				DERWENT;	ŀ
SPORT   SPOR				IBM TDB	
Pep-1371210-\$.did.   SEPO; JPO; DERMENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERMENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERMENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERMENT; IBM TDB USPAT; U	-	2	6591306.pn.	USPAT;	2004/07/16 19:01
- 1 ep-1371210-\$.did.  - 82 (virtual near network\$) and (encrypt\$) and (security near associat\$)  - 95 (virtual near (router\$ or network\$)) and (encrypt\$) and (encrypt\$) and (encrypt\$) and (encrypt\$) and (security near associat\$)  - 95 (virtual near (router\$ or network\$)) and (encrypt\$) and (security near associat\$)  - 11 5898784.URPN 12 "5550984".PN 2 "20020104020" - 2 "20020104020" - 2 "20020104020" - 2 "20020116606" - 2 "20020116606" - 3 2 "20020116606" - 4 172 (ipsec).ab.) and encrypt\$) and decrypt4 - 90 (((ipsec).ab.) and encrypt\$) and decrypt4 - 0 (((ipsec).ab.) and encrypt\$) and decrypt4 - 57 (((ipsec).ab.) and encrypt5) and decrypt4 - 58 (((ipsec).ab.) and encrypt5) and decrypt4 - 59 (((ipsec).ab.) and encrypt5) and decrypt4 - 50 (((ipsec).ab.) and encrypt5) and decrypt5 - 57 (((ipsec).ab.) and encrypt5) and decrypt5 - 58 ((ipsec).ab.) and encrypt5) and decrypt5 - 59 ((ipsec).ab.) and encrypt5 and decrypt5 - 50 ((ipsec).ab.) and encrypt5 and decrypt5 - 50 ((ipsec).ab.) and encrypt5 and decrypt5 - 50 ((ipsec).ab.) and encrypt5 and decry				US-PGPUB;	ļ .
Tem TDB   CSPAT; US-PGPUB; EPO; JPO; DERWENT; IEM TDB   USPAT; US				EPO; JPO;	
-   1   ep-1371210-\$.did.				DERWENT;	
-   1   ep-1371210-\$.did.				IBM TDB	<u> </u>
Second   S	-	1	ep-1371210-\$.did.		2004/07/16 20:12
- 82 (virtual near network\$) and (encrypt\$) and (security near associat\$)  - 95 (virtual near (router\$ or network\$)) and (encrypt\$) and (encrypt\$) and (security near associat\$)  - 95 (virtual near (router\$ or network\$)) and (encrypt\$) and (security near associat\$)  - 11 5898784.URPN.			•	US-PGPUB;	
- 82 (virtual near network\$) and (encrypt\$) and (security near associat\$)  - 95 (virtual near (router\$ or network\$)) and (encrypt\$) and (encrypt\$) and (security near associat\$)  - 95 (virtual near (router\$ or network\$)) and (encrypt\$) and (security near associat\$)  - 11 5898784.URPN.					
Security near networks   and (encrypts) and   SPAT; US-PGPUB; EPG; JPG; DERWENT; INM TDB USPAT; US-PGPUB; DERWENT; INM TDB USPAT; USP					
S2					l
Security near associat\$)	_	82	(virtual near networks) and (encrypts) and		2004/07/16 20:14
- 95 (virtual near (router\$ or network\$)) and (encrypt\$) and (security near associat\$)  - 11 5898784.URPN.					=301,01,10 20114
- 95 (virtual near (router\$ or network\$)) and (encrypt\$) and (security near associat\$)  - 11 5898784.URPN. USPAT 2004/07/16 20:52 - 11 "5550984".PN. USPAT 2004/07/16 20:52 - 12 "20020104020" USPAT 2004/07/16 20:52 - 2 "20020104020" USPAT 2004/07/16 20:59 - 0 2 20020104020.URPN. USPAT 2004/07/16 20:59 - 2 "20020116606" USPAT 2004/07/16 20:59 - 172 (ipsec).ab. USPAT 2004/07/16 20:59 - 172 (ipsec).ab. USPAT 2004/07/16 20:59 - 172 (ipsec).ab.) and encrypt\$ - 0 (((ipsec).ab.) and encrypt\$) and decrypt4 - 0 (((ipsec).ab.) and encrypt8) and decrypt5			(Josaffey Mode abbootacy)		į l
- 95 (virtual near (router\$ or network\$)) and (encrypt\$) and (security near associat\$)  - 11 5898784.URPN.					
- 95 (virtual near (routers or network\$)) and (encrypt\$) and (security near associat\$)  - 11 5898784.URPN.					
Cencrypt\$ and (security near associat\$)   US-PGPUB; EPO; JPO; DERWENT; IBM TDB   USPAT   2004/07/16 20:52   2004/07/16 20:52   2004/07/16 20:59	_	0.5	(wintual near (routers or returnist))		2004/07/16 20:50
DEPKENTY;   DEPK	I -	95		t ·	2004/07/16 20:32
DERWENT; IBM_TDB USPAT 2004/07/16 20:43 2004/07/16 20:59 2 "20020104020"	1		(encrypts) and (security near associats)		
- 11 5898784.URPN. USPĀT USPĀT 2004/07/16 20:43 USPĀT USPĀT 2004/07/16 20:52 USPĀT USPĀT 2004/07/16 20:52 USPĀT USPĀT; USPĀT US					
- 11 5898784.URPN. USPĀT 2004/07/16 20:43 USPĀT 2004/07/16 20:59 USPĀT 2004/07/16 20:56 USPĀT 2004/07/16 20:56 2004/07/16 21:29 USPĀT 2004/07/16 21:29 USPĀT 2004/07/16 21:30 USPĀT 200					
- 2 "20020104020" USPAT USPAT USPAT USPAT USPATS 2004/07/16 20:59 USPAT USPATS UNATS UNATS USPATS USPATS UNATS USPATS USPATS USPATS UNATS UNATS UNATS UNATS					
- 2 "20020104020" USPAT; USPO; DERWENT; IBM TDB USPAT; USPAT; USPO; DERWENT; USPAT; US	-	1		1	
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DE	-	ł .			
- 0 20020104020.URPN.	-	2	"20020104020"	· ·	2004/07/16 20:59
- 0 20020104020.URPN.					
- 0 20020104020.URPN. USPAT; USPAT; USPAT; USPGPUB; EPO; JPO; DERWENT; IEM_TDB USPAT; USPGPUB; EFO; JPO; DERWENT; IEM_TDB USPAT; USPGPUB; IEM_TDB USPAT; USPAT; USPGPUB; IEM_TDB USPAT; USPGPUB; IEM_TDB USPAT; U				EPO; JPO;	
- 0 20020104020.URPN. USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT US				DERWENT;	
- 2 "20020116606" USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPA				IBM_TDB	
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IEM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; E	] -	0		USPAT	
EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	-	2	"20020116606"	USPAT;	2004/07/16 21:29
DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USFAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USFAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USFAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;				US-PGPUB;	
- 172 (ipsec).ab.   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;				EPO; JPO;	
- 172 (ipsec).ab. USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT				DERWENT;	
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;				IBM TDB	
US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EFO; JPO; DERWENT;	-	172	(ipsec).ab.	USPAT;	2004/07/16 21:30
- 90 ((ipsec).ab.) and encrypt\$ USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT;					
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
- 90 ((ipsec).ab.) and encrypt\$					
- 90 ((ipsec).ab.) and encrypt\$ USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	-	90	((ipsec).ab.) and encrypt\$		2004/07/16 21:30
- 0 (((ipsec).ab.) and encrypt\$) and decrypt4	i				
- 0 (((ipsec).ab.) and encrypt\$) and decrypt4 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
- 0 (((ipsec).ab.) and encrypt\$) and decrypt4 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
- 0 (((ipsec).ab.) and encrypt\$) and decrypt4 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	_	ا م	(((insec) ab ) and encrunt() and decrupt()		2004/07/16 21.30
- 0 (((ipsec).ab.) and encrypt\$) and decrypt4   EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;			\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		2004,07,10 21.30
- 0 (((ipsec).ab.) and encrypt\$) and decrypt4 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
- 0 (((ipsec).ab.) and encrypt\$) and decrypt4 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
- 0 (((ipsec).ab.) and encrypt\$) and decrypt4 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	l _		///ineacl ab 1 and anarymet() and danger 4		2004/07/16 21-20
- 57 (((ipsec).ab.) and encrypt\$) and decrypt\$ EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	1	"	(((tpsec).ab.) and encrypts) and decrypt4		2004/0//16 21:30
- 57 (((ipsec).ab.) and encrypt\$) and decrypt\$ DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					
- 57 (((ipsec).ab.) and encrypt\$) and decrypt\$   IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;   DERWENT;					
- 57 (((ipsec).ab.) and encrypt\$) and decrypt\$ USPAT; US-PGPUB; EPO; JPO; DERWENT;				ì	
US-PGPUB; EPO; JPO; DERWENT;					0004/07/25 02 02
EPO; JPO; DERWENT;	-	57	(((1psec).ab.) and encrypt\$) and decrypt\$		2004/07/16 21:30
DERWENT;					
	<u> </u>		La grande de la companya del companya de la companya del companya de la companya	IBM_TDB	

-	68	(gateway\$ or switch or router) near5 (key near exchang\$)	USPAT; US-PGPUB; EPO; JPO;	2004/07/17 17:38
	9	5812671.URPN.	DERWENT; IBM_TDB USPAT	2004/07/17 17:30
_	84	gateway\$ or switch or router) near5	USPAT;	2004/07/17 17:30
		(security near associa\$)	US-PGPUB;	
			EPO; JPO; DERWENT;	
	77	(/	IBM_TDB USPAT;	2004/07/17 17:38
-	''	((gateway\$ or switch or router) near5 (security near associa\$)) not ((gateway\$	US-PGPUB;	2004/07/17 17:30
		or switch or router) near5 (key near	EPO; JPO; DERWENT;	
		exchang\$))	IBM TDB	
-	3	<pre>(ingress\$ or egress\$) near5 (security near associa\$)</pre>	USPAT; US-PGPUB;	2004/07/17 18:04
		associaș	EPO; JPO;	
			DERWENT; IBM TDB	
_	16	(ingress\$ or egress\$) near5 (encrypt\$ or	USPAT;	2004/07/17 19:02
		decrypt\$)	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	2	6708218.pn.	<pre>IBM_TDB USPAT;</pre>	2004/07/17 19:24
	_		US-PGPUB;	
			EPO; JPO; DERWENT;	
		5040705	IBM_TDB	2004/07/17 19:50
_	2	5949785.pn.	USPAT; US-PGPUB;	2004/07/17 19:50
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	2	6507908.pn.	USPAT; US-PGPUB;	2004/07/17 19:58
			EPO; JPO;	
			DERWENT; IBM TDB	
-	125	((gateway\$ or router\$) and (encrypt\$ and	USPĀT;	2004/07/17 19:59
		decrypt\$)).ab.	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	123	(((gateway\$ or router\$) and (encrypt\$ and	USPAT;	2004/07/17 19:59
		<pre>decrypt\$)).ab.) not ( ((gateway\$ or switch or router) near5 (security near associa\$))</pre>	US-PGPUB; EPO; JPO;	
		not ((gateway\$ or switch or router) near5	DERWENT;	
_	123	<pre>(key near exchang\$))) ((((gateway\$ or router\$) and (encrypt\$ and</pre>	<pre>IBM_TDB USPAT;</pre>	2004/07/17 20:18
		decrypt\$)).ab.) not ( ((gateway\$ or switch	US-PGPUB;	
		or router) near5 (security near associa\$)) not ((gateway\$ or switch or router) near5	EPO; JPO; DERWENT;	
_	2	(key near exchang\$)))) notl3 "20020091921"	IBM_TDB USPAT;	2004/07/17 20:18
		20020071721	US-PGPUB;	2003/01/11 20.10
			EPO; JPO; DERWENT;	
			IBM TDB	